

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification C12N 15/16, C12P 21/02 C07K 13/00, A61K 37/24 C12N 5/10, 1/21 // C12N 15/		<b>A1</b>	1) International Publication Number: WO 90/13649 3) International Publication Date: 15 November 1990 (15.11.90)
(21) International Application Number: (22) International Filing Date:	PCT/US 9 May 1990		Department, 460 Point San Bruno Boulevard, South San
369,424 21 June 19	ncisco, CA 940 e ; 2 Britton NG, David, Wa	Point S 80 (US Avent ai-Hun	pean patent), DK (European patent), ES (European patent), FR (European patent), GB (European patent), I' (European patent), IP, LU (European patent), NL (European patent), SE (European patent).  Published  With international search report.

(54) Title: PRODUCTION OF VASCULAR ENDOTHELIAL CELL GROWTH FACTOR AND DNA ENCODING SAME

### (57) Abstract

DNA isolates coding for a vascular endothelial cell growth factor may be used to produce the protein via recombinant expression systems. Such protein is useful therapeutically to treat conditions in which a selective action on the vascular endothelial cells, in the absence of excessive connective tissue proliferation, is desirable.

whole document reviewed / not helpful

#### WHAT IS CLAIMED IS:

5

15

20

25

30

35

40

- 1.0 An isolated nucleic acid sequence comprising a sequence that encodes a vascular endothelial cell growth factor having a molecular weight of about 45,000 daltons under non-reducing conditions and about 23,000 under reducing conditions as measured by SDS-PAGE.
  - 2. The sequence of claim 1 wherein the growth factor is bovine.
  - 3. The sequence of claim I wherein the growth factor is human.
  - 4. The sequence of claim 1 that is a DNA sequence.
- 5. An isolated DNA sequence comprising a sequence that hybridizes to the DNA 10 sequence:
  - 5'-CCTATGGCTGAAGGCGGCCAGAAGCCTCACGAAGTGGTGAAGTTCA-TGGACGTGTATCA-3' when incubated therewith at 42°C in 20% formamide, 5 x SSC, 50 mM sodium phosphate pH 6.8, 0.1% sodium pyrophosphate, 5 x Denhardt's solution, and 50 μg/ml salmon sperm DNA, and washed with 2 x SSC, 0.1% SDS at 42°C, wherein said isolated sequence contains at least about ten nucleotides.
    - 6. The sequence of claim 5 that contains at least about twenty nucleotides.
  - 7. The sequence of claim 5 that hybridizes to the DNA sequence of Figure 2 when incubated therewith at 42°C in 20% formamide, 5 x SSC, 50 mM sodium phosphate pH 6.8, 0.1% sodium pyrophosphate, 5 x Denhardt's solution, and 50 µg/ml salmon sperm DNA, and washed with 2 x SSC, 0.1% SDS at 42°C, wherein said isolated sequence contains at least about ten nucleotides.
    - 8. The sequence of claim 7 that contains at least about twenty nucleotides.
    - 9. The sequence of claim 8 that contains at least about thirty nucleotides.
  - An isolated DNA sequence comprising a sequence that hybridizes to the DNA sequence of Fig. 2 when incubated therewith at 42°C in 50% formamide, 5 x SSC, 50 mM sodium phosphate pH 6.8, 0.1% sodium pyrophosphate, 5 x Denhardt's solution, and 50 μg/ml salmon sperm DNA, and washed with 0.2 x SSC, 0.1% SDS at 42°C, wherein said isolated sequence contains at least about ten nucleotides.
    - 11. The sequence of claim 10 that contains at least about twenty nucleotides.
    - 12. The sequence of claim 10 that contains at least about thirty nucleotides.
  - The nucleic acid sequence of claim 5 further comprising a promoter operably linked to said nucleic acid sequence.
  - The nucleic acid sequence of claim 10 further comprising a promoter operably linked to said nuclec acid sequence.
  - An expression vector comprising the nucleic acid sequence of claim 5 operably linked to control sequences recognized by a host transformed by the vector.
  - An expression vector comprising the nucleic acid sequence of claim 10 16. operably linked to control sequences recognized by a host transformed by the vector.
    - A host cell transformed with the expression vector of claim 15.
    - 18. The host cell of claim 17 wherein the cell is eukaryotic.
      - 19. The host cell of claim 17 wherein the cell is prokaryotic.

5

10

15

20

25

30

35

40

- 20. A host cell transformed with the expression vector of claim 16.
- 21. An isolated DNA sequence comprising a DNA sequence encoding a vascular endothelial cell growth factor having an amino acid sequence sufficiently duplicative of that of vascular endothelial cell growth factor to allow it to possess one or both of the biological properties of (a) promoting growth selectively of vascular endothelial cells but not bovine corneal endothelial cells, lens epithelial cells, adrenal cortex cells, BHK-21 fibroblasts, or keratinocytes, or (b) cross-reacting immunologically with an antibody raised against at least one epitope of the corresponding native protein.
  - 22. The sequence of claim 21 that is a cDNA sequence.
- 23. The sequence of claim 21 further comprising a signal sequence-encoding region N-terminal to the cell growth factor-encoding sequence.
- 24. The sequence of claim 23 wherein the signal sequence is recognized by mammalian cells.
  - 25. The sequence of claim 21 that is a genomic sequence.
  - 26. The sequence of claim 21 that is covalently bound to a detectable moiety.
- 27. An expression vector comprising the DNA sequence of claim 21 operably linked to control sequences recongized by a host transformed with the vector.
  - 28. The vector of claim 27 that is a plasmid.
  - 29. A host cell transformed with the expression vector of claim 27.
  - 30. The host cell of claim 29 that is eukaryotic.
  - 31. The host cell of claim 30 that is mammalian.
- 32. A method of producing a vascular endothelial cell growth factor, which method comprises culturing the cells of claim 29 to express the growth factor in the host cell culture.
- 33. The method of claim 32 further comprising the step of recovering the growth factor from the host cell culture.
- 34. The method of claim 33 wherein the growth factor is recovered from the host cell culture medium.
- 36. Vascular endothelial cell growth factor that is unaccompanied by associated native glycosylation, that has at least about 80% homology with the amino acid sequence of the mature protein shown in Fig. 2, and that possesses one or both of the biological properties of (a) promoting growth selectively of vascular endothelial cells but not bovine corneal endothelial cells, lens epithelial cells, adrenal cortex cells, BHK-21 fibroblasts, or keratinocytes, or (b) cross-reacting immunologically with an antibody raised against at least one epitope of the corresponding native protein.
  - 37. The cell growth factor of claim 36 that is of bovine origin.
  - 38. The cell growth factor of claim 36 that is of human origin.
- 39. Vascular endothelial cell growth factor that is completely free of source proteins.
  - 40. The cell growth factor of claim 39 that is of bovine origin.
    - 41. The cell growth factor of claim 39 that is of human origin.

WO 90/13649 PCT/US90/02585

-34-

- 42. A pharmaceutical composition useful for promotion of vascular endothelial cell growth comprising a therapeutically effective amount of the growth factor of claim 36 in a pharmaceutically acceptable carrier.
  - 43. The composition of claim 42 further comprising another cell growth factor.
  - 44. The composition of claim 42 that is isotonic.

5

15

- 45. The composition of claim 42 that is sterile filtered.
- 46. A method for treating trauma affecting the vascular endothelium comprising administering to an animal or human suffering from said trauma an effective amount of the composition of claim 42.
- 47. A method for treating trauma affecting the vascular endothelium comprising administering to an animal or human suffering from said trauma an effective amount of the composition of claim 43.
  - 48. The method of claim 46 further comprising administering to said animal or human an effective amount of another cell growth factor.
  - 49. The method of claim 46 wherein the trauma is diabetic ulcers or a wound of the blood vessels or heart.
    - 50. The method of claim 46 wherein a human is treated.

# INTERNATIONAL SEARCH REPORT

International Application No PCT/US 90/02585

1 01 4 6 6 1 5 1 6 4 3	I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) 4						
A conding to intel	mational Patent Classification (IPC) or to both National	onal Cinasification and IPC					
5 C 1	mational Patent Classification (IPC) or to both Nation 2 N 15/16, C 12 P 21/02	, C 07 K 13/00, A	51 K 37/24,				
IPC3: C 1	2 N 5/10, C 12 N 1/21,	// C 12 N 15/62					
II. FIELDS SEAF							
	Minimum Documen	tation Searched 7					
Cinesification Syste	m	Classification Symbols					
	1						
IPC <sup>5</sup>	C 12 N, C 12 P, C 0	7 K, A 61 K					
	Documentation Searched other to the Extent that such Documents	han Minimum Documentation are included in the Fields Searched <sup>9</sup>					
	S CONSIDERED TO BE RELEVANT	number of the relevant economic 12	Relevant to Claim No. 13				
Category * C	Citation of Document, 11 with Indication, where appr	ropnikis, or the filevant passages					
X,P B	iochemical and Biophysic Communications, vol.	cal Research	36-37,39-40				
	15 June 1989, Academ	ic Press. Inc					
	N. Ferrara et al.: "						
	follicular cells sec						
	heparin-binding grow						
	for vascular endothe						
	pages 851-858,	•					
	see the whole artic	le					
(	cited in the application						
Ì							
x s	cience, vol. 219, 1983,		36,39				
	D.R. Senger et al.:	"Tumor cells					
	secrete a vascular pe						
	factor that promotes						
	of ascites fluid",						
	pages 983-985,						
	see the whole article	<b>e</b> .					
		•					
·	₩.						
		./.					
"A" document	ories of cited documents: 19 defining the general state of the art which is not	or priority date and not in conflicited to understand the princip	he International filing date ict with the application but a or theory underlying the				
"E" earliar doci filing date	to be of particular relevance ument but published on or after the international	invention "X" document of particular relevant cannot be considered noval of involve an inventive stap	ce; the claimed invention cannot be considered to				
i which is ci	which may throw doubts on priority claim(s) or ited to establish the publication data of another	ave decument of particular relevance; the claimed invention					
citation or	Other special reason (as specified) referring to an oral disclosure, usa, exhibition or	cannot be considered to involve	ev wore other such docu-				
other mean	na	ments, such combination being in the art.	Obvious to a person skilled				
"P" document i	published prior to the international filing date but the priority date claimed	"A" document member of the same	patent family				
IV. CERTIFICAT							
	I Completion of the International Search	Date of Mailing of this International S	earch Report				
8th Augu		0 6, 09. 9	30				
Juli Augu		0 0. 35					
International Sear	rching Authority	Signature of Authorized Officer	Ma-				
Ette	ROPEAN PATENT OFFICE	P I Fornicco	(AP)				

Category *	MENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)				
Category	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No			
x	Science, vol. 246, no. 4935, 8 December 1989, (Washington, DC., US), D.W. Leung et al.: "Vascular endothelial growth factor is a secreted angiogenic mitogen", pages 1306-1309, see the whole article (cited in the application)	1-41			
x	Science, vol. 246, no. 4935, 8 December 1989, (Washington, DC., US), P.J. Keck et al.: "Vascular permeability factor, an endothelial cell mitogen related to PDGF", pages 1309-1312, see the whole article (cited in the application)	1-41			
P,X	Biochemical and Biophysical Research Communications, vol. 165, no. 3, 29 December 1989, Academic Press, Inc., E. Tischer et al.: "Vascular endothelial growth factor: A new member of the platelet-derived growth factor gene family", pages 1198-1206, see the whole article	1-2,4-37, 39-40			

FURTHER INFORMATION CONTINUED FROM THE SECOND SHEET	
·	
'	
·	
V. NO OBSERVATIONS WHERE CERTAIN CLAIMS WERE FOUND UNSEARCHABLE	
This international search report has not been established in respect of certain claims under Article 17(2) (a) for the following reasons	<u> </u>
1. Claim numbers * because they relate to subject matter not required to be searched by this Authority, namely:	
* See PCT-Rule 39.1(IV): Methods for treatment of the human	or
animal body by surgery or therapy,	
well as diagnostic methods.	
2. Claim numbers because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:	111-
3. Claim numbers, because they are dependent claims and are not drafted in accordance with the second and third sentences PCT Rule 6.4(a).	OT
VI. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING 2	
This international Searching Authority found multiple inventions in this international application as follows:	
	Ì
t. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claim	lma
of the international application.	1.
As only some of the required additional search fees were timely paid by the applicant, this international search report covers of those claims of the International application for which fees were paid, specifically claims:	)Riy
3. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted	t to
3. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted the invention first mentioned in the claims; it is covered by claim numbers:	
4. As all searchable claims could be searched without effort justifying an additional fee, the international Searching Authority did	not
invite payment of any additional fee.	
Remark on Protest  The additional search fees were accompanied by applicant's protest.	
No protest accompanied the payment of additional search fees.	ı